BRAKE TESTING TECHNOLOGY

MBT 3250 EUROSYSTEM VP 410125



MBT 3000 SERIES



MBT 3250 EUROSYSTEM VP 410125

The test-lane-compatible roller brake tester MBT 3250 EUROSYSTEM is designed for the brake testing of cars, vans and light-duty trucks with axle loads of up to 8.0 t and is ideal for vehicle reception and diagnostic lanes. Its standard test speed of 5 km/h complies with the country-specific legal requirements for testing cars and light-duty trucks. As it is possible to connect additional EURO floor units, the brake tester can be used as a base module for the setting up of test lanes.

PRODUCT DETAILS/ACCESSORIES

Description of the MBT 3250 EUROSYSTEM: Test lane-enabled roller brake tester for cars and particularly vans and light lorries with an axle load of up to 8.0 t

- Thanks to 8 t axle load and 2800 mm track width, particularly suitable for vans and light lorries
- As a test speed of 5 km/h is supplied as standard, both cars and light lorries can be tested in compliance with legislation.
- Visualisation of measured values, difference and graphics on monitor display
- Test lane-enabled thanks to possibility of connecting MSD 3000 / MINC / TPS EURO floor units
- Comprehensive package of functions for professional testing, such as:
 - Delayed automatic switch-on after entering the tester
 - Automatic start-up monitoring supplied as standard to avoid tyre damage
 - Automatic slip cut-off with pointer stop and automatic restart already included as standard
 - Automatic exiting aid supplied as standard to enable the driven axles to conveniently exit the tester
 - · Automatic cut-off after exiting the tester
 - Single-wheel switching for differentiated consideration of each wheel
- Intuitive-to-use EUROSYSTEM software for the highest expert standards with:
 - Round instrument display for the braking forces Additional displays for difference, decelerations, and optional scale and force sensors.
 - Integrated user guidance with easy-to-understand user instructions
 - Continuous and graphic real-time display of all the measured values using the reference values time and force
 - EUROSYSTEM supplied as standard with integrated SQL Server Express database
 - Multi-user capability option for productive allocation of the individual work packages to several workstations.
 - Easy to connect additional devices such as MLT 3000 to EUROSYSTEM
 - Configurable test report with all the measurement and evaluation results of the tests performed on a single print-

out

- · Robust and long-lasting design due to:
 - Electronic, temperature-compensated strain gauge system for highly precise measurement results under all environmental conditions
 - · Roller surface welded
 - · Optional, free plastic coating on the test rollers
 - 32-bit microprocessor electronics for process control and monitoring of all the safety functions
 - · Lockable main switch
 - RS 232 interface connection
 - Splash-proof motors work reliably, even under high-stress environmental influences
 - Weighted test rollers with groove ball bearings ensure maximum precision and complete driving comfort and guarantee a long service life for the entire tester
 - Internationally recognised TÜV certificate as per issue 9/2011 of the Verkehrsblatt (German Transport Gazette)
 - · Star-delta circuit to avoid high inrush currents
 - Self-supporting closed roller set
 - Varnished with high-quality powder coating: Anthracite Grey, RAL 7016

Description of the MCD 2000 communication desk:

- Robust and multifunctional metal casing
- Integrated switch cabinet for housing electronic components
- Lockable drawer for keypad and PC mouse, plus storage compartment for small items of equipment
- VESA standard bracket for holding the all-in-one PC or PC monitor
- Can be extended with optional PC storage compartment or side shelves
- Varnished with high-quality powder coating: window grey, RAL 7040 (switch cabinet) anthracite grey, RAL 7016 (side faces)

Dimensions of

 $\begin{array}{ll} \text{communication desk (HxWxD)} & \text{approx. } 1230 \times 860 \times 350 \text{ mm} \\ \text{with printer compartment} \\ \text{option (HxWxD)} & \text{approx. } 1560 \times 860 \times 420 \text{ mm} \end{array}$

Scope of delivery:

- MCD 2000 communication desk with integrated switch cabinet
- MBT 3000 roller set with preparation for weighing equipment

BRAKE TESTING TECHNOLOGY

MBT 3250 EUROSYSTEM VP 410125



MBT 3000 SERIES

TECHNICAL DATA	
Axle load (can be driven over)	8000 kg
Min. track	870 mm
Max. track	2800 mm
Drive power	2 x 5.5 kW
Test speed	5 km/h
Measuring range	10 kN
Roller diameter	202 mm
Roller axle distance	400 mm
gG fuse	35 A
Power supply	3/N/PE 400 V 50 Hz
Dimensions of roller set (L x W x H)	2925 x 680 x 280 mm