

BRAKE TESTING TECHNOLOGY MBT 7000 SERIES

MBT 7200 LON W COMPETENCE
VP 410160



MBT 7200 LON W COMPETENCE VP 410160

The test-lane-compatible roller brake tester MBT 7200 LON W COMPETENCE is designed for the brake testing of trucks with axle loads of up to 18.0 t and is ideal for truck diagnostics in situations of high vehicle throughput. Its large sensor roller, with a diameter of 100 mm, guarantees measurable coverage across all tyre dimensions. Its multi-analogue display, with four pointer gauges, enables the display of brake, side-slip and shock absorption test results (0-8 kN and 0-40 kN).

PRODUCT DETAILS/ACCESSORIES

Description of the MBT 7200 LON:

- Perfectly suited to lorry diagnostics, even with a very high vehicle throughput
- With the optionally available, integrated roller set lift:
 - For load simulation
 - For redistribution on an axle to be tested
 - No foundation modifications saves a substantial amount of structural effort
- Service and installation-friendly design with maintenance flap
- Large sensing roller with a diameter of 100 mm guarantees measurable coverage across all tyre dimensions
- Multi-analogue display with four pointer indicators

(Diameter: 4 x 350 mm)

- Measured value display 0 - 8 kN / 0 - 40 kN

- Display option for:
 - Brake tester
 - Wheel arch tester
 - Shock absorption tester
- Difference display (three-digit + LED bar) for displaying:
 - Difference in braking force in %
 - Difference in shock absorption in %
 - Deviation in wheel arch in m/km
 - Results evaluation using additional coloured LED bars
 - User guidance using alphanumeric display
- Program control using 32-bit microprocessor electronics

enables the finest resolution for the measurement results

Dimensions of display (H x W x D) 1060 x 870 x 300 mm

- Comprehensive package of functions for professional testing, such as:
 - Delayed automatic switch-on after entering the tester
 - Automatic start-up monitoring supplied as standard to avoid tyre damage
 - Automatic slip cut-off with pointer stop and automatic restart already included as standard

- Automatic exiting aid supplied as standard to enable the driven axles to conveniently exit the tester
- Automatic cut-off after exiting the tester
- Single-wheel switching for differentiated consideration of each wheel
- Robust and long-lasting design due to:
 - Electronic, temperature-compensated strain gauge system for highly precise measurement results under all environmental conditions
 - Roller surface welded
 - Optional, free plastic coating on the test rollers
 - 32-bit microprocessor electronics for process control and monitoring of all the safety functions
 - Lockable main switch
 - RS 232 interface connection
 - Splash-proof motors work reliably, even under high-stress environmental influences
 - Weighted test rollers with groove ball bearings ensure maximum precision and complete driving comfort and guarantee a long service life for the entire tester
 - Internationally recognised TÜV certificate as per issue 9/2011 of the Verkehrsblatt [German Transport Gazette]
 - Star-delta circuit to avoid high inrush currents
 - RS 2 roller set design with space-saving motor integration underneath the test rollers
 - Rear roller elevated by 50 mm - guarantees highly precise measurement results, particularly for trailer axles.
 - Self-supporting divided roller set
 - Varnished with high-quality powder coating: Anthracite Grey, RAL 7016

Scope of delivery:

- Analogue display with four pointer indicators and an integrated switch cabinet
- MBT 7000 RS 2 roller set with preparation for weighing equipment
- Two VARIODATA digital displays
- RECO 1 remote control

BRAKE TESTING TECHNOLOGY MBT 7000 SERIES

MBT 7200 LON W COMPETENCE
VP 410160



TECHNICAL DATA

Axle load (can be driven over)	18000 kg
Drive power	2 x 11 kW
Test speed	3 km/h
Roller length	1150 mm
Roller diameter	265 mm
Roller axle distance	475 mm
gG fuse	63 A
Power supply	3/N/PE 400 V 50 Hz

ACCESSORIES

VZ 955278	Add-on Kit Brake Tester Directive Model: Directive 2011	VZ 985052	Hydr. Load Simulator Double HD Cylinder Model: MLS 2100
VZ 930066	Roller set up to 18t axle load Motor-side mounted on roller MBT 7000 RS 1 Extra charge	VZ 985018	Hydr. Load Simulator Double HD Cylinder Model: MLS 2150
VZ 935201	Re-inforced roller set 20 t Drive motors 2 x 11 kW Display range 0 - 40 kN	VZ 985053	Hydr. Load Simulator Double HD Cylinder Model: MLS 2200
VZ 930028	Re-inforced roller set 20 t Drive Motors 2 x 16 kW Display range 0 - 60 kN	VZ 985054	Hydr. Load Simulator Double HD Cylinder Model: MLS 2300
VZ 930017	Extended Rollers f. Low-Bed Trailers, each Side 1.6 m long (Separate Install. Drawing!)	VZ 935251	MLS Weight Simulator Operation via Radio Remote Control MRC 1100 (not for MLS 2300)
VZ 955016	Flush-Floor Roller Set (both front & rear rollers raised 50 mm) for MBT 7000 RS.No. 2/3	VZ 935194	Floor Rails 4 m (2 pcs) for Hydr. Load Simulator (VZ 985053 or VZ 985054)
VZ 935143	Elevat. of Rollers & Sensor Rollers MBT 7000, recommended f. Tyre Diam. from 1500 mm on	VZ 935195	Floor Rails 4 m (2 pcs) for Hydr. Load Simulator (VZ 985053 or VZ 985054)
VZ 935141	Vehicle Weight-Bearing Roller Cover Plates (4 pcs.), Galva nized Steel,	VZ 935198	Lashing Straps for Hydr. Load Simulator (2 pcs)
VZ 935246	Angle Iron Frame for MBT 7000 RS.No.1 for Weighing Machine with Pit, galvanized	VZ 935199	Fastening Set for Hydr. Load Simulator
VZ 935263	Angle Iron Frame for MBT 7000 RS.No.1 for Weighing Machine Surface Mounted Version, galv.	VZ 935200	Fastening Clamps (2 pcs.) for Hydr. Load Simulator
VZ 935015	Angle Iron Frame for MBT 7000 RS.No.2 for Weighing Machine with Pit	VZ 935264	Mechanical-Hydraulic Lifting of MBT 4000/7000 RS.No.2
VZ 935151	Angle Iron Frame for MBT 7000 RS.No.2 for Weighing Machine with Pit, galvanized	VZ 935169	Mechanical-Hydraulic Roller Set Lift for MBT 4000/7000 RS.No.2/W
VZ 935016	Angle Iron Frame for MBT 7000 RS.No.2 for Weighing Machine w/o Pit	VZ 935170	Angle Iron Frame for Lifting of Roller Set,with working pit
VZ 935146	Angle Iron Frame for MBT 7000 RS.No.2 for Weighing Machine w/o Pit, galvanized	VZ 935256	Angle Iron Frame for Lifting of Roller Set, w. Working Pit Flatbed Truck Version
VZ 935083	Low-Loader Angle Iron Frame RS.No.2 w/o Pit (Undivided Version)	VZ 935172	Angle Iron Frame for Lifting of Roller Set (for Balzer Pit)
VZ 935150	Low-Loader Angle Iron Frame RS.No.2 w/o Pit (Undivided Version) galvanized	VZ 935238	Roller Set Lift, Mech./Hydr. MBT 4000/7000 RS.No.2/W with Angle Iron Frame (1-Piece)
VZ 935115	Low-Loader Angle Iron Frame RS.No.2 with Pit (Divided Version)	VP 935236	Floor Anchors -Above-Groundfor Raisable Roller Set
VZ 935153	Low-Loader Angle Iron Frame RS.No.2 with Pit (Divided Version) galvanized	VP 935237	Floor Anchors -In-Groundfor Raisable Roller Set
VZ 935011	Center Cover between Roller Sets, for MBT 7000	VZ 990201	Converter Board for Control of Hydraulic Load Simulator Roller Set Lifting
VZ 930092	Set of Ramps for MBT 7000 RS. No.1 (4 pcs. only in conjunct. with frame VZ 935263)	VZ 935232	Adapter Set Continental CTC II / Workshop Tab -NET-
VZ 930093	Drive-over ramps (2 pcs.) for MBT 7000 RS.No.1	VZ 935276	Prefitting with holder set for Continental CTC II -NET PRICE-
VZ 975547	Weighing device STATIC for MBT 4000/6000/7000	VZ 935110	Plastic-Coated Roller Surface (Standard Production - Welded)
VZ 975548	Weighing device STATIC/ DYNAMIC for MBT 4000/6000/7000	CONTROLLING SYSTEM AND SPECIAL VOLTAGE	
VZ 935077	Two Testing Speeds	VZ 935072	Driving and Testing direction manually switchable at console
VZ 935006	Roller Heating	VZ 935134	Driving in both directions
VZ 985061	Hydr. Load Simulator Single HD Cylinder Model: MLS 1100	VZ 990181	4 wheel drive regulator set for Visco and Rigid 4 WD (MBT 4000/7000 Series)
		VZ 935113	DC-Brake for MBT 4000/7000Roller Sets
		VZ 990350	Special voltage 3 x 230 V 50Hz

BRAKE TESTING TECHNOLOGY MBT 7000 SERIES

MBT 7200 LON W COMPETENCE
VP 410160



ACCESSORIES ANALOG-/SIMULTAN- EOUS DISPLAYS

VZ 955257	Foot for display cabinet for free-standing installation
VZ 955256	Wall holder for Multi-analog display 2 or 4, 180° swivable
VZ 950057	Simultaneous Display for MBT 4000/7000 LON/-EUROSYSTEM TYP: MSA T CLASSIC
VZ 950058	Simultaneous Display for MBT 4000/7000 LON/-EUROSYSTEM TYP: MSA T VARIODATA
VZ 950059	Simultaneous Display for MBT 4000/7000 LON/-EUROSYSTEM TYP: MSA T COMPETENCE
VZ 955252	Differential display for Simultaneous Display MSA
VZ 955253	Display module VARIODATA
VZ 955254	LED-running letters (16 digits) with convenient operator guidance
VZ 955269	Installation Kit to attach Simultaneous Display MSA to Wall (approx. 90° swivable)
VZ 955255	Wall holder for Simultaneous Display MSA (approx. 180° swivable)
VZ 955270	Foot for Simultaneous Display MSA, (approx. 180° swivable) for free-standing installation
VZ 955271	Support for Simultaneous Display MSA CLASSIC, for Inst. to Communication Desk MCD
VZ 950064	Display and Control Cabinet Installed Separately

ACCESSORIES PRINTER AND REMOTE CONTROLS

VZ 910047	Infrared Remote Control IFB3
VZ 990050	Pedal force meter
VP 990434	Pedalforce Meter MODEL: PFM 1000

ACCESSORIES SAFETY SYSTEMS

VZ 955088	Key Switch for Emergency Stop
VZ 955045	Emergency Switch
VZ 955014	Working hour meter

WEATHER PROTECTIVE ACCESSORIES

VZ 955080	Thermostat-Controlled Heater for Electro-Cabinet
-----------	--

ACCESSORIES PRESSURE EQUIPMENT AND RADIO EQUIPMENT

VZ 980034	Pneumatic pressure converter integrated into roller set measurement range 0 - 20 bar
VZ 980035	Start set radio controlled pressure converter
VZ 910154	Radio remote control Model: FFB3 incl. reception module
VZ 910157	Radio remote control FFB3 (-EXTRA CHARGE to RECO 1-)
VZ 910156	Radio remote control/Radio Hand-held terminal FFB3-FHT (-EXTRA CHARGE to FFB3-)
VZ 980029	Pneum. Radio-Controlled Pressure Converters, Meas. Range 0 - 20 bar, MODEL: RCD 40
VZ 985028	Hydr. Radio-Controlled Pressure Converters, Range: 0 - 160 bar MODEL: RCD 30 - 160 bar
VZ 955071	Flashing Light with Periodical Signal Horn for Radio Controlled Pressure Converters
VZ 990090	Warning Lamp f. Radio-Control. Pressure Converters when being removed from Re-Charging Box

ACCESSORIES HARD- AND SOFTWARE

VZ 911264	Software LON Basic for external PC
VZ 911265	Software module LON Basic Plus with SP-Program Basic of Software BASIC-LON
VZ 911273	Software module LON Basic HR with projection program
VZ 910140	USB/RS 232 Converter for Connection to PC/ Laptop w/o. RS 232 Interface -NET-

VP 186050	Communication Desk EUROSYSTEM Car/Truck (w/o electronics) Model: MCD 2000
VZ 955273	Printer Compartment for Communication Desk EUROSYSTEM MCD 2000
VZ 955274	Side Shelf for Comm. Desk EUROSYSTEM MCD 2000
VZ 955277	External PC Storage Shelf for Communication Desk EUROSYSTEM MCD 2000
VZ 910177	Industrial PC Compact with Windows 10 -NET PRICE
VZ 955275	Holder for Compact/Performance PC, suitable for placement inside MCD 2000 desk
VZ 910052	PC Keyboard and Mouse -NET PRICE
VZ 910200	PC Flat screen 24 VGA/DVI/HDMI, (TFT standard) -NET PRICE-
VZ 910192	LCD simultaneous display unit 40 incl. pedestal; HDMI -NET PRICE-
VZ 955244	Rotatable & Folding Wall Holder f. TFT Industrial- or TV Flat Screens (up to 42)
VZ 910193	HDMI Cable 5 m -NET PRICE
VZ 910179	HDMI Cable 15 m -NET PRICE
VZ 910180	HDMI Cable 30 m -NET PRICE
VZ 910181	HDMI Splitter, 4-port incl. 2 m cable -NET PRICE
VZ 910091	A4 Ink jet colour printer (incl. printer cable) -NET PRICE-
VZ 955295	Radio Touchscreen MODEL: FTS 2018 -NET-
VZ 955296	Docking station as charger incl. power supply unit FTS 2018 / C_Tablet-PC -NET-
VZ 955237	AP Transmitter/Receiver Unit (Indoor Access Point)

SUPPLEMENTARY CHARGES

VT 995707	Transportkosten Bremsprüfstand MBT 4000/5000/7000-Serie
VT 995655	Transportkosten PC-Recheneinheit in Verbindung mit Pult
VT 995068	Transportkosten Schaltschrank, Simultananzeige, PC-Pult pro Stück
VT 995004	Transportkosten Einbaurahmen geteilt
VT 998147	Transportkosten Einbaurahmen ungeteilt
VT 995069	Transportkosten hydraulischer Gewichtssimulator
VT 995711	Transportkosten Einbaurahmen für Rollensatzanhebung
VM 999005	Hydraulic Oil (HLPD 32) per Litre -NET PRICE
VM 996113	Assembly costs Brake Tester MBT 4250/-7250 LON MBT 5200/-6200
VM 995148	Routine Test/Calibration acc. to Verkehrsblatt 99/2022 Truck Brake Tester
VM 996088	Montagekosten Allradregelsatz bei Neuinstallation
VM 996090	Assembly Costs Radio Pressure Converters (max. 10 pcs.) per unit/recharging box
VM 996177	Montagekosten Funk-Touchscreen FTS -bei Neuinstallation
VM 995679	Assembly Costs per Display Unit
VM 996136	Montagekosten Niederzieh- und Hebevorrichtung -nach Aufwand-
VM 996185	Montagekosten Bodenanker für Rollensatzanhebung -nach Aufwand-
VM 996114	Pre-assembly Brake Tester MBT 4000/5000/6000/7000 with 20m cable
VM 996115	Connection and Calibration MBT 4000/5000/6000/7000 with 20 m cable
VV 997584	Packing Charges Roller Set Lift