## BRAKE TESTING TECHNOLOGY

### **MBT 5250 EUROSYSTEM** VP 410136



#### **MBT 5000 SERIES**



### **MBT 5250 EUROSYSTEM** VP 410136

The above-floor roller brake tester MBT 5250 EUROSYSTEM is designed for the brake testing of trucks with axle loads of up to 18.0 t. Thanks to its low drive-over height, the MBT 5250 EUROSYSTEM can be flexibly operated above floor without the need for foundation work. It is therefore particularly suitable for mobile roadside inspections.

#### PRODUCT DETAILS/ACCESSORIES

Description of the MBT 5250 EUROSYSTEM: Above-ground roller brake tester for lorries with an axle load of up to 18 t

- · Designed particularly for mobile roadside inspections.
- Due to the low drive-over height, can be flexibly used aboveground without any need for foundation work.
- Visualisation of measured values, difference and graphics on monitor display
- Comprehensive package of functions for professional testing, such as:
  - Delayed automatic switch-on after entering the tester
  - Automatic start-up monitoring supplied as standard to avoid tyre damage
  - Automatic slip cut-off with pointer stop and automatic restart already included as standard
  - Automatic exiting aid supplied as standard to enable the driven axles to conveniently exit the tester
  - · Automatic cut-off after exiting the tester
  - Single-wheel switching for differentiated consideration of each wheel
- Intuitive-to-use EUROSYSTEM software for the highest expert standards with:
  - Round instrument display for the braking forces Additional displays for difference, decelerations, and optional scale and force sensors.
  - Integrated user guidance with easy-to-understand user instructions
  - Continuous and graphic real-time display of all the measured values using the reference values time and force.
  - EUROSYSTEM supplied as standard with integrated SQL Server Express database
  - Multi-user capability option for productive allocation of the individual work packages to several workstations.
  - Easy to connect additional devices such as MLT 3000 to EUROSYSTEM
  - Configurable test report with all the measurement and evaluation results of the tests performed on a single printout

- · Robust and long-lasting design due to:
  - Electronic, temperature-compensated strain gauge system for highly precise measurement results under all environmental conditions
  - Roller surface coated in plastic
  - · Optional, free welded test rollers
  - 32-bit microprocessor electronics for process control and monitoring of all the safety functions
  - Lockable main switch
  - ° RS 232 interface connection
  - Splash-proof motors work reliably, even under high-stress environmental influences
  - Weighted test rollers with groove ball bearings ensure maximum precision and complete driving comfort and quarantee a long service life for the entire tester
  - · Star-delta circuit to avoid high inrush currents
  - · Centre cover between the roller sets
  - Self-supporting divided roller set
  - Varnished with high-quality powder coating: Anthracite Grey, RAL 7016
  - Suitable for above-ground use only

Description of the MCD 2000 communication desk:

- · Robust and multifunctional metal casing
- Integrated switch cabinet for housing electronic components
- Lockable drawer for keypad and PC mouse, plus storage compartment for small items of equipment
- VESA standard bracket for holding the all-in-one PC or PC monitor
- Can be extended with optional PC storage compartment or side shelves
- Varnished with high-quality powder coating: window grey, RAL 7040 (switch cabinet) anthracite grey, RAL 7016 (side faces)

Dimensions of

communication desk (HxWxD) approx.  $1230 \times 860 \times 350 \text{ mm}$  with printer compartment

option (HxWxD) approx. 1560 x 860 x 420 mm

Scope of delivery:

- MCD 2000 communication desk with integrated switch cabinet
- MBT 5000 roller set with preparation for weighing equipment

# BRAKE TESTING TECHNOLOGY

## **MBT 5250 EUROSYSTEM** VP 410136



#### MBT 5000 SERIES

#### **TECHNICAL DATA**

Axle load (can be driven over)	18000 kg
Min. track	750 mm
Max. track	3010 mm
Drive power	2 x 11 kW
Test speed	2.3 km/h
Roller length	1190 mm
Roller diameter	152 mm
Roller axle distance	450 mm
gG fuse	63 A
Power supply	3/N/PE 400 V 50 Hz
Dimensions of roller set (L x W x H)	4791 x 900 x 460 mm

#### **ACCESSORIES**

ACCESSOR	(IES					
VZ 935207	Set of Approach and Exit Ramps (4 pcs.) for MBT		Start set radio controlled pressure converter			
VZ 935208	5000 Drive-over ramps for MBT 5000 (2 pcs.)	VZ 910154	Radio remote control Model: FFB3 incl. reception module			
VZ 975658		VZ 910156	Radio remote control/Radio Hand-held terminal FFB3-FHT (-EXTRA CHARGE to FFB3-)			
VZ 935234	Welded Roller Surface (Standard Production - Plastic Coated)	VZ 980029	Pneum. Radio-Controlled Pressure Converters, Meas. Range 0 - 20 bar, MODEL: RCD 40			
CONTROLLI	NG SYSTEM AND SPECIAL VOLTAGE	VZ 985028	Hydr.Radio-Controlled Pressure Converters,			
VZ 935072	Driving and Testing direction manually switchable at console	VZ 955071	Range: 0 - 160 bar MODEL: RCD 30 - 160 bar Flashing Light with Periodical Signal Horn for			
VZ 935134	Driving in both directions	V7.000000	Radio Controlled Pressure Converters			
VZ 935113	DC-Brake for MBT 4000/7000Roller Sets	VZ 990090	Warning Lamp f. Radio-Control. Pressure Converters when being removed from Re-			
	ES ANALOG-/SIMULTAN- EOUS DISPLAYS		Charging Box			
VZ 950057	Simultanous Display for MBT 4000/7000 LON/- EUROSYSTEM TYP: MSA T CLASSIC	PC INTERFA	ACE CARDS/SOFTWARE FOR PROFI-/EUROSYSTEM			
VZ 950058	Simultanous Display for MBT 4000/7000 LON/-	VZ 911275	Software EUROSYSTEM			
	EUROSYSTEM TYP: MSA T VARIODATA	VZ 911276	Software module EUROSYSTEM Multi-user capability			
VZ 950059	Simultanous Display for MBT 4000/7000 LON/- EUROSYSTEM TYP: MSA T COMPETENCE	VZ 911373	Software EUROSYSTEM V8			
VZ 955252	Differential display for Simultanous Display MSA	VZ 912030	Connection Module for Equipment			
VZ 955253	. ,	VZ 911045	'asanetwork netmanager' f. commercial software			
VZ 955254	LED-running letters (16 digits) with convenient operator guidance	VZ 911079	networ king with asanetwork equipment Software package Brake evaluation			
VZ 955269	1 3	ACCESSORIES HARD- AND SOFTWARE				
	MSA to Wall (approx. 90° swivalable) Wall holder for SimultanousDisplay MSA (approx.	VP 186050	Communication Desk EUROSYSTEM Car/Truck (w/o electronics) Model: MCD 2000			
VZ 955270	Ha0° swivalable) Foot for Simultanous Display MSA, (approx. 180°	VZ 955273	Printer Compartment for Communication Desk FUROSYSTEM MCD 2000			
	Support for Simultaneus Display MisA, (approx. 160 swivalable) for free-standing installation Support for Simultaneous Display MSA CLASSIC,	VZ 955274	Side Shelf for Comm. Desk EUROSYSTEM MCD			
VZ 955271	for Inst. to Communication Desk MCD	VZ 955277	External PC Storage Shelf for Communication Desk EUROSYSTEM MCD 2000			
	ES PRINTER AND REMOTE CONTROLS	VZ 910177	Industrial PC Compact with Windows 10 -NET			
	Infrared Remote Control IFB3	VZ 910177	PRICE			
	Pedal force meter	VZ 955275	Holder for Compact/Performance PC, suitable for			
	Pedalforce Meter MODEL: PFM 1000		placement inside MCD 2000 desk			
ACCESSORIES SAFETY SYSTEMS			PC Keyboard and Mouse -NET PRICE			
	Key Switch for Emergency Stop Emergency Switch	VZ 910200	PC Flat screen 24 VGA/DVI/HDMI, (TFT standard) -NET PRICE-			
VZ 955014	Working hour meter	VZ 910192	LCD simultaneous display unit 40 incl. pedestal;			
WEATHER PROTECTIVE ACCESSORIES HDMI -NET PRICE-						
	Thermostat-Controlled Heater for Electro-Cabinet	VZ 955244	Rotatable & Folding Wall Holder f. TFT Industrial- or TV Flat Screens (up to 42)			
ACCESSORI	ES PRESSURE EQUIPMENT AND RADIO EQUIPMENT	VZ 910193	HDMI Cable 5 m -NET PRICE			

# BRAKE TESTING TECHNOLOGY

## **MBT 5250 EUROSYSTEM** VP 410136



### MBT 5000 SERIES

	VZ 910179	HDMI Cable 15 m -NET PRICE	
	VZ 910180	HDMI Cable 30 m -NET PRICE	
	VZ 910181	HDMI Splitter, 4-port incl. 2 m cable -NET PRICE	
	VZ 910091	A4 Ink jet colour printer (incl. printer cable) -NET PRICE-	
	VZ 955299	Tablet PC Rugged (industrial standard) MODEL: C_Tablet-PC -NET PRICE-	
	VZ 955318	Docking station as charger incl. power supply unit for C_Tablet-PC -NET-	
	VZ 955287	Autom. license pl. recognition incl. full-HD outdoor network IP camera with wall mount	
	VZ 955291	Distance sensor triggering the automatic license plate recognition	
-	SUPPLEMEN	NTARY CHARGES	
	VT 998283	Transport Werkverkehr -SÜDMBT, MSD -geteilt/ Split-	
	VT 998284	Transport Werkverkehr -NORDMBT, MSD -geteilt/ Split-	

VT 998253	Transport Werkverkehr -SÜDSimultananzeige, MCD Schaltschrank (pro Stück)
VT 998254	Transport Werkverkehr -NORDSimultananzeige, MCD Schaltschrank (pro Stück)
VM 999005	Hydraulic Oil (HLPD 32) per Litre -NET PRICE
VM 996178	Assembly costs Brake Tester MBT 4250/-7250 EUROSYSTEM MBT 5250/-6250
VM 996090	Assembly Costs Radio Pressure Converters (max. 10 pcs.) per unit/recharging box
VM 996177	Montagekosten Funk-Touchscreen FTS -bei Neuinstallation
VM 995679	Assembly Costs per Display Unit (LON/ EUROSYSTEM)
VM 996114	Pre-assembly Brake Tester MBT 4000/5000/6000/7000 with 20m cable
VM 996115	Connection and Calibration MBT 4000/5000/6000/7000 with 20 m cable